

BROILER FEED SPECIFICATIONS

Recommended feed specifications should be strictly followed to achieve the full genetic potential of your broilers.

For commercial broiler growers, feed will generally be supplied by your integrator, and specifications will be like those indicated below. Feed specifications between integrators may vary slightly due to breed differences or size requirement of finished broiler.

For backyard producers, your feed specifications need to be close to those advised. Generally bagged feed specifications are printed on the bag, or on a tag attached to the bag.



Broiler Starter




Recommended Broiler Starter Ration Specification.

Metabolisable Energy (kcal)	3000
Metabolisable Energy (MJ)	12.55
Crude Protein (%)	23.00
Methionine (%)	0.56
Methionine/Cystine (%)	1.08
Digestible M/C (%)	0.95
Lysine (%)	1.44
Digestible Lysine (%)	1.28
Isoleucine (%)	0.97
Digestible Isoleucine (%)	0.86
Tryptophan (%)	0.23
Threonine (%)	0.97
Calcium (%)	0.96
Phosphorus – available (%)	0.48
Sodium (%)	0.16 – 0.23
Chlorine (%)	0.16 – 0.23
Linoleic Acid (%)	1.25

Broiler starter rations should always contain a coccidiostat for the prevention of coccidiosis.

Broiler Grower



Recommended Broiler Grower Ration Specification.

Metabolisable Energy (kcal)	3100
Metabolisable Energy (MJ)	12.97
Crude Protein (%)	21.5
Methionine (%)	0.51
Methionine/Cystine (%)	0.99
Digestible M/C (%)	0.87
Lysine (%)	1.29
Digestible Lysine (%)	1.15
Isoleucine (%)	0.89
Digestible Isoleucine (%)	0.78
Tryptophan (%)	0.21
Threonine (%)	0.88
Calcium (%)	0.87
Phosphorus – available (%)	0.435
Sodium (%)	0.16 – 0.23
Chlorine (%)	0.16 – 0.23
Linoleic Acid (%)	1.20

Broiler grower rations should always contain a coccidiostat to prevent coccidiosis.

Broiler Finisher



Recommended Broiler Finisher Ration Specification.

Metabolisable Energy (kcal)	3200
Metabolisable Energy (MJ)	13.39
Crude Protein (%)	19.5
Methionine (%)	0.47
Methionine/Cystine (%)	0.91
Digestible M/C (%)	0.80
Lysine (%)	1.16
Digestible Lysine (%)	1.03
Isoleucine (%)	0.81
Digestible Isoleucine (%)	0.71
Tryptophan (%)	0.19
Threonine (%)	0.78
Calcium (%)	0.79
Phosphorus – available (%)	0.395
Sodium (%)	0.16 – 0.20
Chlorine (%)	0.16 – 0.23
Linoleic Acid (%)	1.00